# **Product datasheet**

Specifications





## Linergy FM 2P distribution block -200A - 24 modules 24 holes quick connection

04012

Discontinued on: 7 Apr 2022

① Discontinued

#### Main

Range	Linergy
Range Of Product	Linergy
Product Or Component Type	Device feeder
Product Name	Linergy FM
Range Compatibility	Prisma Prisma G enclosure Prisma Prisma P enclosure Prisma Prisma PH enclosure
Product Compatibility	Spacial enclosures
Ip Degree Of Protection	IPxx B

### Complementary

Complementary	
Mounting Support	Slotted backplate DIN rail Plain backplate
Mounting Mode	By screws Clip-on
Installed Device	modular device
Poles Description	1P + N
[Ue] Rated Operational Voltage	690 V AC
[Ui] Rated Insulation Voltage	750 V AC 50/60 Hz
[Uimp] Rated Impulse Withstand Voltage	8 kV
[Ie] Rated Operational Current	200 A
[In] Rated Current	200 A at 40 °C
[Ipk] Rated Peak Withstand Current	20 kA
I <sup>2</sup> T On Activation	6700000 A².s
Connections - Terminals	Supply: crimped lug50 mm <sup>2</sup> Supply: flexible bars, 20 x 3 mm Distribution: quick-connect terminal strips (phase) , 12 x 410 mm <sup>2</sup> (flexible) Distribution: quick-connect terminal strips (phase) , 12 x 410 mm <sup>2</sup> (rigid) Distribution: quick-connect terminal strips (neutral) , 18 x 410 mm <sup>2</sup> (flexible) Distribution: quick-connect terminal strips (neutral) , 18 x 410 mm <sup>2</sup> (rigid)
9 Mm Pitches	48
Total Number Of 18 Mm Modules	24
Net Weight	1.02 kg
Colour	Anthracite grey (RAL 7016)

### Environment

Standards	IEC 61439-1, inside Prisma IEC 61439-2, inside Prisma IEC 60947-7-1
Product Certifications	ASEFA

# **Packing Units**

-	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6 cm
Package 1 Width	7.5 cm
Package 1 Length	45 cm
Package 1 Weight	1.010 kg

### **Contractual warranty**

Warranty

18 months

### Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

### Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes
Halogen Free Product

#### **Certifications & Standards**

Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins