Product datasheet

Specification





Pilot light, Harmony 9001K, metal, glass, domed, green, 30mm, 110-120V

9001KP1G6

Main

Range Of Product	Harmony 9001K	
Product Or Component Type	Pilot light	
Device Short Name	K	

Complementary

•		
Bezel Material	Metal	
Mounting Diameter	30 mm	
Lens Type	Domed glass	
Cap/Operator Or Lens Colour	Green	
Light Source	incandescent	
Bulb Base	BA 9s	
Light Block Supply	Via transformer 120 V AC 50/60 Hz Via integral transformer 110 V AC 50/60 Hz	
Connections - Terminals	Screw clamp terminals, 1 x 0.222 x 1.5 mm² conforming to IEC 60947-1	
Shape Of Screw Head	Round	
Operating Position	Any position	
Light Source	Incandescent bulb	
[Us] Rated Supply Voltage	110120 V AC	
Operating Mode	Normal	
Device Presentation	Complete product	
Lens Type	Domed	
[Us] Rated Supply Voltage	110120 V	
Light Block Supply	Via integral transformer	
Supply Frequency	5060 Hz	
Lens Material	Glass	
Size	30 mm	

Environment

Product Certifications	UL listed file E42259 CCN NKCR CE CSA LR25490 class 3211 03
Nema Degree Of Protection	NEMA 1/2/3/3R/4/6/12/13

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	12.903 cm
Package 1 Width	5.08 cm
Package 1 Length	32.774 cm
Package 1 Weight	235.868 q



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations