Product datasheet

Specifications

Green Premium™

1 Gang Telephone Socket, Keystone on Shuttered Wallplate, Lavendar Silver

E8231RJS4_LS

Main

Product Or Component Type	Telephone socket
Number Of Gangs	1 gang
Cover Frame Colour Tint	Lavender silver

Complementary

Wiring Device Mounting	Flush Surface
Material	Polycarbonate: surround Polycarbonate: grid plate
Width	87 mm
Height	87 mm
Depth	30.6 mm

Environment

Ambient Air Temperature For Operation	-5…40 °C
Relative Humidity	0…95 %
Standards	GB 17466 IEC 60670

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.1 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	66 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	8
Package 2 Height	9.5 cm
Package 2 Width	15 cm
Package 2 Length	19 cm
Package 2 Weight	624.64 g
Unit Type Of Package 3	CAR

Life Is On | Schneider Electric

Number Of Units In Package 3	80
Package 3 Height	21 cm
Package 3 Width	32.5 cm
Package 3 Length	50 cm
Package 3 Weight	6246.4 g

Contractual warranty

Warranty	18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Transparency   RoHS/REACh

Well-being performance

✅ Reach Free Of Svhc

✅ Mercury Free

✅ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant with Exemptions

China Rohs Regulation   China RoHS declaration

Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations