



13A 250V Twin Gang Switched Socket, White

E82T25_WE_G2

Main

Range	Pieno	
Product Or Component Type	Power socket-outlet	
Switch Function	Switch	
Rated Current	13 A at 250 V AC 5060 Hz	
Number Of Gangs	2 gangs	
Load Type	Resistive	
Cover Frame Colour Tint	White	

Complementary

Wiring Device Mounting	Surface Flush	
Material	Polycarbonate: surround Polycarbonate: grid plate	
Clamping Connection Capacity	2 x 4 mm² for stranded cable(s) 3 x 2.5 mm² for solid cable(s)	
Width	147 mm	
Height	87 mm	
Depth	28.5 mm	

Environment

Ambient Air Temperature For Operation	-540 °C
Relative Humidity	095 %
Standards	SS 145-2
	BS 1363-2
	MS 589-2

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.85 cm
Package 1 Width	8.7 cm
Package 1 Length	14.7 cm
Package 1 Weight	140 g
Unit Type Of Package 2	CAR

Number Of Units In Package 2	60
Package 2 Height	21 cm
Package 2 Width	32.5 cm
Package 2 Length	50 cm
Package 2 Weight	9728.4 g
Unit Type Of Package 3	PAL
Number Of Units In Package 3	1200
Package 3 Height	86 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	168000 g

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations