Product datasheet

Specifications

Emergency stop pushbutton,TeSys Deca Fram 2,turn to release,padlocking,for GV2M*01 enclosures

GV2K04

Main

Range	TeSys
Product Name	GV2 LE
Product Or Component Type	Mushroom head emergency stop push-button
Device Short Name	GV2K
Accessory / Separate Part Category	Enclosure accessory

Complementary

Product Compatibility	GV2MP LE1GVMEK GV2MC
Type Of Operator	Latching turn to release
Diameter	40 mm
Locking Options Description	Padlock in OFF position
Provided Equipment	1 IP55 sealing kit
Height	48 mm
Width	73 mm
Net Weight	0.12 kg
Colour	Red

Environment

Ip Degree Of Protection	IP55

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.000 cm
Package 1 Width	9.000 cm
Package 1 Length	7.500 cm
Package 1 Weight	140.900 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	15
Package 2 Height	15.000 cm

Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	2.450 kg

Contractual warranty

Warranty	18 months

Life Is On | Schneider Electric

Sustainability ![Green Premium](Green Premium™)

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant

EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure   Product Environmental Profile

Weee   The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile   End of Life Information