

Thermal overload relays, TeSys Deca, remote electrical tripping, 220...230V DC/AC

LA7D03M

Main

Range	TeSys	
Product Or Component Type	Electrical remote tripping	
Device Short Name	LA7D	
Accessory / Separate Part Category	Electrical accessory	
Product Compatibility	LR2D LR3D35 LRD15 LRD33 LR3D33 LR3D43 LR3D43 LRD43 LR3D15	
[Uc] Control Circuit Voltage	220/230 V AC 50/60 Hz 220/230 V DC	

Complementary

Maximum Inrush Power In Va	100 VA
Inrush Power In W	0100 W
Net Weight	0.09 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.0 cm
Package 1 Width	4.8 cm
Package 1 Length	4.8 cm
Package 1 Weight	106.0 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	32
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.565 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

②	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
⊘	Mercury Free	
Ø	Rohs Exemption Information	Yes
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Compliant
		EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration
		Pro-active China RoHS declaration (out of China RoHS legal scope)
Wee	e	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins