Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



3 Crimp lugs - for copper cable 120 mm² and phase barriers

LV429252

Main

| Product Or Component Type | Crimp lug |
|---------------------------------------|------------------------------------------------------|
| Accessory / Separate Part Category | Connection accessory |
| Range Compatibility | ComPacT new generation ComPacT NSX100 new generation |
| | ComPacT new generation ComPacT NSX160 new generation |
| | ComPacT new generation ComPacT NSX250 new generation |
| | ComPacT new generation ComPacT NSX DC new generation |
| | ComPact Compact NSX100 |
| | ComPact Compact NSX160 |
| | ComPact Compact NSX250 |
| | ComPact Compact NSX100 DC |
| | ComPact Compact NSX160 DC |
| | ComPact Compact NSX250 DC |
| | EasyPact EasyPact CVS100 |
| | EasyPact EasyPact CVS160 |
| | EasyPact EasyPact CVS250 |
| | ComPact INS250 |
| | ComPact Compact INV100250 |
| | FuPact FuPacT ISFT |
| | FuPact Fupact INF |
| Poles Description | 3P |
| Quantity Per Set | Set of 3 |
| [In] Rated Current | 250 A |

Complementary

| Provided Equipment | Interphase barriers |
|-------------------------|-----------------------------|
| Conductor Material | Copper |
| Connections - Terminals | Crimp lug1 cable(s) 120 mm² |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|---------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 3.5 cm |
| Package 1 Width | 11.0 cm |
| Package 1 Length | 12.5 cm |
| Package 1 Weight | 228.0 g |
| Unit Type Of Package 2 | BB1 |
| Number Of Units In Package 2 | 12 |
| Package 2 Height | 11.5 cm |
| Package 2 Width | 20.0 cm |

| Package 2 Length | 35.0 cm |
|------------------------------|----------|
| Package 2 Weight | 2.954 kg |
| Unit Type Of Package 3 | S03 |
| Number Of Units In Package 3 | 24 |
| Package 3 Height | 30.0 cm |
| Package 3 Width | 30.0 cm |
| Package 3 Length | 40.0 cm |
| Package 3 Weight | 6.335 kg |

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

| ② | Reach Free Of Svhc | |
|----------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| | Toxic Heavy Metal Free | |
| ⊘ | Mercury Free | |
| Ø | Rohs Exemption Information | Yes |
| | | |
| Rea | ch Regulation | REACh Declaration |
| Eu F | Rohs Directive | Compliant |
| | | EU RoHS Declaration |
| Chir | na Rohs Regulation | China RoHS declaration |
| | | Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Wee | e | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |