Product datasheet

Specifications



PowerLogic Split Core Current Transformer - Type GJ, for bar -1000A / 5A

METSECT5GJ100

Main

Range	PowerLogic	
Product Name	СТ	
Product Or Component Type	Current transformer	
Secondary Current	5 A	
Accuracy Class	Class 0.5 at 10 VA	
[In] Rated Current	1000 A	

Complementary

Current Transformer Type	Standard for busbar Split core	
Current Transformer Ratio	1000/5	
[Ith] Conventional Free Air Thermal Current	1000 A	
Maximum Safety Factor	5	
Permissible Current	60000 A during 1 s	
[Ue] Rated Operational Voltage	< 720 V 50 Hz	
[Ui] Rated Insulation Voltage	3 kV	
Mounting Mode	By screws	
Mounting Support	DIN rail Fastened onto a surface with screws	
Width	Outside: 195 mm Inner: 85 mm	
Height	Outside: 243 mm Inner: 165 mm	
Depth	79 mm	
Electrical Insulation Class	ss Class E	
Opening Of Bars	80 x 160	

Environment

Standards	VDE 0414 DIN 42600-2 DIN EN 61869-1 DIN EN 61869-2
Ambient Air Temperature For Operation	-540 °C
Ambient Air Temperature For Storage	-2570 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.5 cm
Package 1 Width	19.5 cm
Package 1 Length	25.0 cm
Package 1 Weight	3.154 kg
Unit Type Of Package 2	\$03
Number Of Units In Package 2	4
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	12.988 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

🕑 R	each Free Of Svhc	
🕑 То	oxic Heavy Metal Free	
🕗 м	lercury Free	
🕑 R	ohs Exemption Information	Yes
Reach	Regulation	REACh Declaration
Eu Roh	s Directive	Compliant EU RoHS Declaration
China f	Rohs Regulation	China RoHS declaration
Weee		The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins