

Product datasheet

Specifications



Symmetrical mounting rail, H35D15 mm. L 214 mm, for boxes of 225 mm.

NSYAMRD243515TB

⚠ Discontinued on: 30 Sept 2023

⚠ Discontinued

Main

Anwendung	Multi-purpose
Range	Spacial
Product Or Component Type	Rail
Accessory / Separate Part Category	Mounting accessory
Type Of Rail	Symmetrical DIN
Enclosure Nominal Dimensions	-
Mounting Support	Self-tapping screw Stand-off
Range Compatibility	Thalassa Thalassa TBP Thalassa Thalassa TBS
Device Composition	1 rail
Quantity Per Set	Set of 10

Complementary

Material	Steel
Surface Finish	Zinc coated
Fixing Mode	By screw - screw type Ø4 mm self-tapping screws - rear of enclosure location
Length	Fixing centers: 205 mm
Height	35 mm
Width	15 mm
Thickness	1 mm
Net Weight	0.146 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.6 cm
Package 1 Width	4.0 cm
Package 1 Length	21.4 cm
Package 1 Weight	146.0 g

Contractual warranty

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty

18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes
Reach Regulation		REACH Declaration
Eu Rohs Directive		Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation		China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)