Product datasheet

Specifications

Green Premium™

Stainless steel cover cut-out 125x125mm with filter IP55

NSYCAP223LXF

Main

Range	ClimaSys
Product Name	ClimaSys CA
Product Or Component Type	Sealing cover
Accessory / Separate Part Category	Thermal management accessory

Complementary

Mounting Location	On enclosure
Fixing Mode	By screws
Range Compatibility	ClimaSys ClimaSys CV EMC fan
Device Composition	1 cover 1 filter
Material	Stainless steel 304
Cut-Out Dimensions	223 x 223 mm
Height	External: 350 mm
Width	External: 305 mm
Depth	80 mm external:

Environment

Ip Degree Of Protection	IP55

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15.5 cm
Package 1 Width	33.5 cm
Package 1 Length	37.0 cm
Package 1 Weight	3.17 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	42
Package 2 Height	120.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm

| **Package 2 Weight** | 133.14 kg |

Contractual warranty

| **Warranty** | 18 months |

Sustainability

Green Premium^TM label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ⟩

Guide to assess a product's sustainability ⟩

Transparency   RoHS/REACh

Well-being performance

✅ Reach Free Of Svhc

✅ Toxic Heavy Metal Free

✅ Mercury Free

✅ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

                                  EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

                                  Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations