



Metallic mounting plate for PLA enclosure H1250xW1250mm

NSYPMM1212

Main

Range	Thalassa	
Accessory / Separate Part Category	Mounting accessory	
Product Or Component Type	Mounting plate	
Device Application	Multi-purpose	
Enclosure Nominal Dimensions	-	
Mounting Location	Step slide Back inserts	
Mounting Plate Description	Plain	
Range Compatibility	Thalassa Thalassa PLA Thalassa Thalassa PHD	
Device Composition	mposition 1 mounting plate	
Material	Galvanised steel	

Complementary

Fixing Mode	By screws - screw type M8 - on back inserts location
Permanent Permissible Load	150 kg
Height	1250 mm nominal: 1140 mm real:
Width	1250 mm nominal: 1125 mm real:
Depth	125 mm real:
Thickness	2.5 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	113.0 cm
Package 1 Length	113.0 cm
Package 1 Weight	24.29 kg
Unit Type Of Package 2	P2M
Number Of Units In Package 2	35
Package 2 Height	120 cm

Package 2 Width	200 cm	
Package 2 Length	45 cm	
Package 2 Weight	720 kg	

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
Ø	Mercury Free	
②	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations