

NSYTR end cover for spring and push-in single-level terminal block 2x2 - 2.5mm<sup>2</sup>

NSYTRACR24

#### Main

Range	Linergy	
Product Name	Linergy TR	
Product Or Component Type	Cover plate	
Device Short Name	TRA	
Accessory / Separate Part Category	Insulation accessory	
Product Compatibility	TRR spring terminal terminal block, length = 72 mm TRP push-in terminal block, length = 72 mm	
Thickness	2.2 mm	

# Complementary

Cable Cross Section	2.5 mm²
Number Of Connections	4
Number Of Measurement Input	2
Quantity Per Set	Set of 50
Net Weight	2.7 g
Colour	Grey

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3 cm
Package 1 Width	20 cm
Package 1 Length	20 cm
Package 1 Weight	2 g
Unit Type Of Package 2	BAG
Number Of Units In Package 2	50
Package 2 Height	3 cm
Package 2 Width	20 cm
Package 2 Length	20 cm
Package 2 Weight	145 g
Unit Type Of Package 3	S04
Number Of Units In Package 3	2400

Package 3 Height	30 cm	
Package 3 Width	40 cm	
Package 3 Length	60 cm	
Package 3 Weight	7.795 ka	

# **Contractual warranty**

Warranty 18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

### Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Halogen Free Plastic Parts Product	
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)  EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)