





APC Smart-UPS VT Maintenance Bypass Panel, 30-40kVA, 400V, wallmount

SBPSU30K40HC1M1-WP

! Discontinued on: 28 Nov 2023

! Discontinued

Overview

Lead Time Usually Ships within 4 Weeks

Main

Main Input Voltage	400 V 3 phases
Main Output Voltage	400 V 3 phases
Other Output Voltage	380 V 415 V
Output Connector Type	Hard wire 4-wire (3P + E) 1 Hard wire 5-wire (3P + N + E) 1
Number Of Cables	1
Provided Equipment	Installation guide User manual

Physical

Colour	Black
Height	46 cm
Width	40 cm
Depth	17.5 cm
Net Weight	11 kg
Mounting Location	Front
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Input

Network Frequency 50/60 Hz

Output

Maximum Configurable Power In W 40000 W

Conformance

Product Cartifications	CF
	EN/IEC 62040-3 EN/IEC 62040-1-1
Standards	EN 50091-2

Product Certifications

Environmental

Ambient Air Temperature For Operation	040 °C
Relative Humidity	095 %
Operating Altitude	050000 ft
Ambient Air Temperature For Storage	040 °C
Storage Relative Humidity	095 %
Storage Altitude	0.003048.00 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	58.7 cm
Package 1 Width	25.4 cm
Package 1 Length	45.7 cm
Package 1 Weight	12.3 kg

Contractual warranty

Warranty

1 year repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Take-back Transparency RoHS/REACh

Resource performance



Take-Back Program Available

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information