# **Product datasheet**

Specifications



# Uni-Telway/Modbus serial link - L = 2.5 m - 1 male mini DIN + 1 male SUB-D 25

XBTZ968

#### Main

Range Of Product	Harmony XBT
Accessory / Separate Part Category	Connection accessories
Accessory / Separate Part Type	Connecting cable
Accessory / Separate Part Designation	Uni-Telway/Modbus serial link
Accessory / Separate Part Destination	XBT terminal
Cable Length	2.5 m

### Complementary

Product Compatibility	XBTR411
	XBTN410
	XBTNU400
	XBTN401
	XBTR410
Range Compatibility	Modicon Premium automation platform
	Twido
Electrical Connection	1 male connector mini DIN, 8 pins
	1 male connector SUB-D 25
Communication Port Protocol	Modbus
	Uni-Telway
Physical Interface	RS485
Net Weight	0.18 kg

#### **Packing Units**

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	20.200 cm
Package 1 Length	22.300 cm
Package 1 Weight	183.000 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	25
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	5.035 kg

## **Contractual warranty**

Warranty

18 months

#### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

#### Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins