

# Product datasheet

Specifications

## Acti9 - neutral block 1P 250 A

Local distributor code:

383252850

NSNL250



EAN Code: 5018763920966

### Main

|                           |             |
|---------------------------|-------------|
| Range                     | Acti9       |
| Product Or Component Type | Neutral bar |

### Complementary

|                                |                           |
|--------------------------------|---------------------------|
| Range Compatibility            | Acti 9 distribution board |
| [Ie] Rated Operational Current | 250 A at 415 V            |
| Poles Description              | 1P                        |
| Protection Device Name         | IC60H                     |
| Colour                         | Grey (RAL 7016)           |
| Connections - Terminals        | Screw terminals           |

### Environment

|                                       |             |
|---------------------------------------|-------------|
| Ambient Air Temperature For Operation | -15...50 °C |
|---------------------------------------|-------------|

### Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type Of Package 1       | PCE      |
| Number Of Units In Package 1 | 1        |
| Package 1 Height             | 4.5 cm   |
| Package 1 Width              | 12 cm    |
| Package 1 Length             | 17.4 cm  |
| Package 1 Weight             | 404 g    |
| Unit Type Of Package 2       | S03      |
| Number Of Units In Package 2 | 25       |
| Package 2 Height             | 30 cm    |
| Package 2 Width              | 30 cm    |
| Package 2 Length             | 40 cm    |
| Package 2 Weight             | 10.47 kg |
| Unit Type Of Package 3       | P06      |
| Number Of Units In Package 3 | 200      |
| Package 3 Height             | 75 cm    |
| Package 3 Width              | 80 cm    |
| Package 3 Length             | 60 cm    |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                  |           |
|------------------|-----------|
| Package 3 Weight | 94.528 kg |
|------------------|-----------|

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Eu Rohs Directive

Compliant with Exemptions

China Rohs Regulation

[China RoHS declaration](#)

Product out of China RoHS scope. Substance declaration for your information

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins